6/Affidavit

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

§

In Re Application of:

Alberson et al. §

§ Examiner: MacArthur, V. L.

Serial No.: 10/091,838 § Art Unit: 3679

Filed: 03/06/02 § Art Unit: 36/9

For: **Hybrid Energy Absorbing** §

Reusable Terminal § Attorney Docket No.: TAM-1005-US

The Honorable Commissioner of Patents & Trademarks Washington, D.C. 20231

AFFIDAVIT OF DEAN C. ALBERSON UNDER 37 CFR §1.131

County of Brazos § §

State of Texas §

I, Dean C. Alberson, being duly sworn, depose and state:

- 1. I am an inventor of the subject matter of claims 1-20 of the subject patent application having serial number 10/091,838 and entitled "Hybrid Energy Absorbing Reusable Terminal." I have personal knowledge of the statements made in this Affidavit.
- 2. Prior to January 3, 2001, I and the other inventors named with me conceived of the idea of a reusable crash cushion or terminal having a collapsible, substantially self-restoring collapsing portion with a pair of parallel panels that are formed substantially of a thermoplastic material, such as polyethylene. We also conceived of the idea of a crash cushion having a collapsible cushion portion with a cambered panel member that collapsibly folds during a collision and, due to shape memory, will substantially return to an unfolded condition after a collision. Additionally, we conceived the idea of a roadway crash cushion having a ground-mounted longitudinal basetrack, a pair of planar

panel members with a cambered portion that promotes plastic bending of the panel member, a plurality of diaphragms that secure the panel members together and engage with the basetrack, and a tension cable. We refer to these concepts as a Hybrid Energy Absorbing Reuseable Terminal, or "HEART," for short.

- 3. Attached hereto at Tab A is a true and correct copy of a memorandum received by me from Terry A. Young, the executive director of the technology licensing office for the Texas A&M University System. The memorandum bears a date, which has been redacted. However, the date that was redacted is a date prior to January 3, 2001. This memorandum demonstrates conception of the HEART device at a date prior to January 3, 2001.
- 4. Attached hereto at Tab B is a true and correct copy of a set of conceptual drawings of a diaphragm component of the HEART device. These drawings bear a creation date, which has been redacted. However, the date that was redacted is a date prior to January 3, 2001.
- 5. Attached hereto at Tab C is a true and correct copy of a memorandum from me to Byron C. Blaschke, Chairman of the Intellectual Property Technical Committee of the Texas Transportation Institute of the Texas A&M University System. This memorandum bears a date, which has been redacted. However, the date that was redacted is a date prior to January 3, 2001. The memorandum also has attached drawings that depict the HEART, generally illustrating the features recited in claims 1-20 of the present patent application. Thus, the memorandum attached at Tab C also demonstrates conception of the claimed invention at a date prior to January 3, 2001.
- 6. The memorandum attached at Tab C also outlines a "Work Plan" for development and testing of the HEART. The steps of the plan include "Complete Initial Design," "Component Level Testing," "Simulate Conceptual Design," and "Fabricate Prototype." As a result, the memorandum also demonstrates that the inventors were working from conception toward a reduction of the

invention to practice, at least through testing and construction of a prototype. I prepared and submitted the memorandum attached at Tab C in order to have funding approved for development and testing of a prototype HEART device. Funding was later approved for this work to be done.

- 7. I and the other inventors then began to follow the work plan and to develop and test a prototype of the HEART device. Development and testing was pursued diligently at all times from conception to actual construction of the prototype.
- 8. A prototype of the HEART device was constructed by late 2001 and tested at the Texas A&M University's Riverside Campus testing facilities.
- 9. Attached at Tab D is a true and correct copy of a set of drawings of portions of the prototype HEART device that were prepared during July 2001. Attached at Tab E is a true and correct copy of further drawings of the prototype device that were prepared during October 2001. As is apparent from the drawings attached at Tabs D and E, the HEART prototype included the features recited in claims 1-20 of the present application.
- 10. As evidenced by the memorandum attached at Tab A, the HEART concept was disclosed to the Texas A&M University System on a date prior to January 3, 2001 so that the University System could consider whether a patent application should be prepared. The present application was filed on March 6, 2002.

11. Further Affiant sayeth not.

Dean C. Alberson


Sworn to and subscribed before me on the 26th day of March, 2003.

WANDA L. MENGES
MY COMMISSION EXPIRES
April 27, 2006

Wandag. Ma Notary Public

EXHIBIT A

MEMORANDUM



TO:

Dean Alberson

Associate Research Engineer

TTI Safety & Structural Systems Department

FROM:

Terry A. Young

Executive Director

Technology Licensing Office

DATE:

REDACTED

SUBJECT:

TAMUS Disclosure of Invention 1634TTI00 - "Hybrid Energy Absorbing

Reusable Terminal"

Please accept my personal congratulations for the referenced disclosure submitted to the Technology Licensing Office of The Texas A&M University System. Development of innovative intellectual property required extraordinary effort and creativity. And, we appreciate the additional concern you demonstrated to document and disclose the invention to the System.

The transfer of research results to commercial application plays a significant role in the mission of The Texas A&M University System through service and benefit to the public and enhancement of the growth and diversification of the State of Texas. We appreciate your participation with us in this effort, and trust that we will be diligent in management of this intellectual property.

TAY/slb

xc:

H. H. Richardson

G. Buth


B. Blaschke

D. W. Bugh

C. V. Wootan

S. L. Burr

EXHIBIT B



SOLIDS

366.02014 cu in 103.79 lb

25.50000 in 39.00000 in 0.25000 in X: 0.00000 ---Y: 0.00000 ---Z: -2.00000 ---X: 12.74663 in Y: 18.50589 in Z: -0.81551 in

18.50589 in

190055.14247 lb sq in -0.81551 in

87502.16301 lb sq in

276674.15300 lb sq in 86336.55628 lb sq in -5728.43039 lb sq in -3805.92599 lb

22.78701 in

15.46169 in 27.49361 in

-0.00008 0.99999 -0.00319 l: 64461.59033 along [1.00000 0.00008 -0.00004] 91854.95288 along [0.00004 0.00319 0.99999] J: 27788.36408 along K: 91854.95288 along

DIAPHRAN DETAIL	\prod		₹.
- Komary	Ĺ		က်
fo mana			αí
12			-
	Ľ		Ŀ
	B	Date	ЙO
TEXAS TRANSPORTATION INSTITUTE	П	Revisions	
The Texas A&M University System	exa	The T	

EXHIBIT C





REBACTED

MEMORANDUM

TO:

Mr. Byron C. Blaschke, Chairman

Intellectual Property Technical Committee

FROM:

Dean C. Alberson, D. Lance Bullard, Jr., and Christopher J. Karpathy

SUBJECT:

Hybrid Energy Absorbing Reusable Terminal

Reusable and largely self-restoring crash cushions are gaining acceptance with highway safety engineers. We have a conceptual design of a product in conjunction with John F. Carney, III of Worcester Polytechnic Institute, the inventor of the REACT Crash Cushion, for a crash cushion fabricated with thermal plastic sheeting and steel diaphrams atop a steel undercarriage. (See Attachment)

The four (4) inventors, Dean C. Alberson, D. Lance Bullard, Jr., Christopher J. Karpathy, and John F. Carney, III, have all been involved in the design and crash testing of crash cushions. We are intimately knowledgeable of both the positive aspects and deficiencies of crash cushions. We believe this new cushion will address these issues and provide an extremely marketable product.

OBJECTIVE

The objective is to simulate the Hybrid Energy Absorbing Reusable Terminal using LS-DYNA, test the product to NCHRP Report 350, and have a licensee market the product.

WORK PLAN

- Complete Initial Design
- Component Level Testing
- Simulate Conceptual Designs (Akram Abu-Odeh and/or Grad Student)
- Fabricate Prototype

Texas Transportation Institute


The Texas A&M University System

3135 TAMUS College Station, TX 77843-3135


979-845-6375 979-845-6107 http://tti.tamu.edu


Byron (C. Blaschke, Chairman -2	; -	REDA
COST	ESTIMATES		
	Complete Initial Design and Component Level	Testing	\$10,000
	Computer Simulations		\$25,000
	Test Article Fabrication		\$10,000
		Total	\$45,000

Attachments




•:







» <u>.</u> . . .

EXHIBIT D







TEXAS 77843

Orawn By Scale BAS


Sheet No. 2 of 3


Jan 24, 2002 - 11:32am

07/01

DIAPHRAM DETAILS

220581







#2,4-9 DIAPHRAMS

Revisions No. Date By COLLEGE STATION, TEXA 1. Project No. Date Drawn I	
1. Brainet Vo Bate Dunyy I	
20591 07/01 DAS	" 3000
3. 220381 07/01 BAS	Sheet No.

Jan 24, 2002 - 11:32am

EXHIBIT E





`..•

